



REVIEW ARTICLE

To Date, the Complete Record with Taxonomic Details of the Avifaunal Diversity in Bastar Division

Sushil Kumar Dutta^{1*}, P.R.S. Negi², Arun Bebarta³

¹Department of Zoology, Govt. PG College, Jagdalpur, Chhattisgarh, India

²Veterinary Hospital-Bastar, Bastar, Chhattisgarh 494223, India

³O.A.V.Majhiguda, Nabarangpur, Odisha

Abstract

Available literature evidenced that the documentation of bird diversity in Bastar Division was initiated in the mid of last century. In the present paper, a comprehensive compilation of bird records from extensive field surveys and published literature was undertaken to assess the current status of avian diversity in Bastar Division. The study recorded a total of 331 bird species belonging to 20 orders, indicating the high avian richness of Bastar Division. Comparison with earlier studies reveals a substantial increase in documented species, reflecting improved survey efforts and the ecological importance of the region. The heterogeneous habitat mosaic, altitudinal variation, and extensive forest cover contribute significantly to sustaining diverse resident and migratory bird communities. The updated checklist provides valuable baseline information for biodiversity monitoring, ecological research, and conservation planning. The findings emphasise the importance of continued documentation and habitat conservation to ensure the long-term survival of avifaunal diversity in Bastar Division and the wider Bastar Plateau region.

Introduction:

Birds play a vital ecological role by contributing to ecosystem functioning through activities such as pollination, seed dispersal, pest control, and nutrient cycling. They are considered valuable bio-indicators because changes in bird populations often reflect the overall health and condition of ecosystems. India, owing to its diverse climatic conditions and varied habitats ranging from forests and wetlands to grasslands and coastal regions, supports rich avian diversity, with approximately 1,263 bird species recorded to date (Praveen *et al.*, 2016). In recent decades, however, anthropogenic pressures such as habitat destruction, deforestation, rapid urbanisation, pollution, climate change, and unsustainable use of natural resources have accelerated the decline of bird populations and biodiversity. This necessitates the implementation of effective conservation strategies, including the development of management and protection plans, habitat restoration measures, and the establishment of protected areas. An essential prerequisite for implementing successful conservation efforts is the proper assessment and documentation of biodiversity. Comprehensive biodiversity inventories provide baseline information

necessary for monitoring species distribution, understanding ecological changes, and formulating conservation policies. This becomes especially important in relatively newly formed states such as Chhattisgarh, where systematic studies and updated avifaunal records remain limited. The Bastar division, with its diverse landscapes comprising forests, wetlands, agricultural fields, and riverine ecosystems, possesses the potential to support a wide variety of bird species. Therefore, the present study aims to prepare an updated checklist of avifaunal diversity within the administrative boundaries of Bastar division, which can contribute to future ecological studies and conservation planning in the region..

Bastar Division

The study area comprised Bastar division, located in the southernmost region of the state of Chhattisgarh, India. The district covers an area of approximately 4,029.98 km² and constitutes slightly more than one-ninth of the Bastar Plateau, also known as the Dandakaranya Plateau. This plateau region is characterised by undulating topography, rich forest cover, and diverse ecological habitats that support a wide range of flora and fauna. The drainage system of the region is primarily composed of tributaries of

*Corresponding Author: dutta.sushil962@gmail.com

the Indravati and Sabri rivers, which ultimately join the Godavari River system and contribute significantly to the area's hydrological network.

The Bastar Plateau is administratively divided into seven districts; however, the present investigation on avifaunal diversity was confined specifically to Bastar division. The northern and eastern parts of the district largely consist of plain terrain interspersed with scattered forest patches, agricultural lands, and numerous wetlands and water bodies. These habitats provide suitable feeding, nesting, and breeding sites for several resident and migratory bird species.

The southeastern region of the division includes the protected area of Kanger Valley National Park (KVNP), which is widely recognised for its rich biodiversity and ecological significance. The national park encompasses a variety of habitats, including dense forests, streams, caves, and waterfalls, supporting numerous species of wildlife. Adjacent to the eastern boundary of KVNP lies the Machkot Forest Range (MFR), a reserve forest that is also noted for its high biological diversity and relatively undisturbed habitat conditions.

The majority of the surveyed area falls within the Deccan Trap Plateau region, with elevation ranging from approximately 200 m to 1,200 m above mean sea level (MSL). The variation in altitude, combined with habitat heterogeneity and climatic conditions, creates favourable environments for sustaining diverse avian communities across the district.

Earlier records on avian diversity of Bastar division

Before the year 2000, when Chhattisgarh was separated from Madhya Pradesh and established as an independent state, most avifaunal studies in central India covered the region collectively or focused mainly on selected protected areas. Consequently, comprehensive district-level avian records for Chhattisgarh were relatively limited. Earlier studies contributed significantly to understanding the bird diversity of the region. Majumder (1984) reported a checklist of 97 bird species from Bastar division, which was originally formed in 1948 through the merger of the princely states of Bastar and Kanker. Subsequently, Saha (1995) documented 92 bird species from the Indravati Tiger Reserve. Chandra & Singh (2004) reviewed the avifauna of Madhya Pradesh and Chhattisgarh and reported a total of 517 species and subspecies, among which 197 species and subspecies were recorded from Chhattisgarh.

Further studies expanded the knowledge of avian diversity within the state. An avifaunal survey conducted in the protected areas of Chhattisgarh recorded 131 bird species in Kanger Valley National Park and 123 species in Guru Ghasidas National Park (Chakraborty, 2008). Later, Pande *et al.* (2012) described 404 bird species for the entire state of Chhattisgarh in a pictorial guidebook. Chandra *et al.* (2015) further updated the avifaunal checklist of the

Bastar Plateau and documented a total of 304 species belonging to 194 genera under 63 families, including the addition of 89 new species records. The previous effort to document the avian diversity by Dutta, *et al.* (2025) included 325 species of birds. During the present compilation, a total of 331 bird species belonging to 20 different orders were recorded from Bastar division, with the addition of species such as Spot-billed Pelican, Grey-necked Bunting, Eastern marsh harrier, Himalayan griffon, and Little Spider hunter, indicating a high level of avian diversity in the region. The variety of habitats present within the district, including forests, wetlands, agricultural fields, and river systems, likely contributes to this rich species composition

Birds that need special attention

Eastern Marsh Harrier (*Circus spilonotus*)

The Eastern Marsh Harrier is a large bird of prey commonly found in wetlands, marshes, and grasslands across Asia. It is known for its low, gliding flight while hunting small mammals, birds, reptiles, and insects. This species plays an important role in maintaining ecological balance by regulating prey populations in wetland ecosystems.

Little Spider-hunter (*Arachnothera longirostra*)

The Little Spider-hunter is a small nectar-feeding bird belonging to the sunbird family, widely distributed in South and Southeast Asia. It is characterised by its long, curved bill, which is specially adapted for feeding on nectar from tubular flowers. It also consumes spiders and insects, contributing to both pollination and insect control.

Grey-necked Bunting (*Emberiz abuchanani*)

The Grey-necked Bunting is a medium-sized passerine bird found in dry scrublands, rocky hillsides, and open grasslands of Central and South Asia. It is distinguished by its grey head and neck, contrasting with its warm brown upperparts. Primarily feeding on seeds and small insects, this species contributes to seed dispersal and ecosystem functioning in arid habitats.




Circus spilonotus

Arachnothera longirostra

Emberiz abuchanani

Order-wise analysis of Avifaunal diversity of Bastar division



The order-wise composition of avifauna recorded from Bastar division demonstrates a highly diverse bird community with varying ecological guilds and habitat preferences. The pie chart indicates that Passeriformes represent the most dominant order, contributing the largest proportion of recorded species. Members of this order include passerine birds such as flycatchers, drongos, bulbuls, wagtails, shrikes, warblers, and sparrows, which are widely distributed across forests, agricultural fields, wetlands, and human habitations.

The second major contributing groups include Falconiformes/Accipitriformes, Charadriiformes, Ciconiiformes, Piciformes, Anseriformes, and Cuculiformes. The substantial representation of these orders reflects the ecological diversity of Bastar and indicates the availability of multiple habitat types:

- Wetland-associated birds are represented by orders such as Anseriformes, Charadriiformes, and Ciconiiformes, indicating the importance of lakes, rivers, marshes, and seasonal water bodies.
- Forest-dependent species, including Piciformes and Cuculiformes, suggest the presence of suitable woodland habitats and mature vegetation cover.
- Raptors, represented by Falconiformes and Accipitriformes, occupy higher trophic levels and serve as indicators of ecosystem stability and prey availability.

Orders with relatively lower species richness such as

Podicipediformes, Turniciformes, Trogoniformes, and Caprimulgiformes, contribute smaller percentages to the total species composition. Their lower representation may reflect specialised habitat requirements or naturally low abundance.

Conclusion

The dominance of Passeriformes coupled with the representation of wetland, forest, and predatory bird orders highlights the ecological richness of Bastar division. The distribution pattern indicates the coexistence of diverse habitats including tropical forests, wetlands, grasslands, and human-modified landscapes. Such diversity underscores the conservation significance of the region and suggests that maintaining habitat heterogeneity is essential for sustaining avifaunal diversity in Bastar division.

References:

- Chakraborty, R. (2008): Aves. In: **Vertebrate Fauna of Kangerghati, Guru Ghasidas and Sanjay National Park (Madhya Pradesh and Chhattisgarh)**. Conservation Area Series, Pub. by: Zoological Survey of India, 36: 69-180.
- Chandra, K. & Singh, R.K. (2004): Avifauna of Madhya Pradesh and Chhattisgarh. *Zoo's Print*, 19(7):1534-1539.
- Chandra, K., Dutta, S.K., Gupta R. P., & Raha, A. (2015): Diversity and conservational status of avifauna in Bastar plateau of Chhattisgarh, India. *Ambient Sci.*, 02(1): 31-43.
- Dutta, S.K., Negi, P.R.S., Bebartha (2025): **Biodiversity concept, threats and Conservation Strategies**. Pub. by: Golbal Books Organisation, India. 15pp
- Majumder, N. (1984): **On a collection of birds from Bastar division, M.P.** Pub. by: Rec. Zool. Surv. India. Occasional paper No. 54; 59.
- Naidu, R., Vishwakarma, R. & Mandavia, A. (2020): First photographic record of the Little Spiderhunter *Arachnothera longirostra* from Kanger Valley National Park, Bastar, Chhattisgarh. Bird-o-soar #53. *Zoo's Print* 35(9): 12-14.
- Pande, S., Deshpande, P., Sant, N., Chandra, K. & Boaz, A. (2012): **Birds of Chhattisgarh**. Pub. by: Ela Foundation & Chhattisgarh Forest department. xviii+226p.
- Saha, S.S. (1995): Aves. In: **Fauna of Indravati Tiger Reserve. Conservation Area Series**, Pub. by: Zoological Survey of India. 6;85-91.



Annexure 1: Complete record of Avifauna time to time documentted from Bastar division

S/n	Common Name	Scientific Name	ORDER	FAMILY
1	Common Buzzard	<i>Buteo buteo</i>	ACCIPITRIFORMES	ACCIPITRIDAE
2	Eastern marsh harrier	<i>Circus spilonotus</i> ,Kaup, 1847	ACCIPITRIFORMES	ACCIPITRIDAE
3	Crested Goshawk	<i>Accipiter trivirgatus</i>	ACCIPITRIFORMES	ACCIPITRIDAE
4	Pallid Harrier	<i>Circus macrourus</i>	ACCIPITRIFORMES	ACCIPITRIDAE
5	Indian Spotted Eagle	<i>Clanga hastate</i>	ACCIPITRIFORMES	ACCIPITRIDAE
6	Rufous bellied Eagle,	<i>Hieraaetuskienerii</i>	ACCIPITRIFORMES	ACCIPITRIDAE
7	Eastern Marsh Harrier	<i>Circus spilonotus</i>	ACCIPITRIFORMES	Accipitridae
8	Himalayan griffon	<i>Gyps himalayensis</i>	ACCIPITRIFORMES	Accipitridae
9	Northern Pintail	<i>Anas acuta</i> , Linnaeus 1758	ANSERIFORMES	ANATIDAE
10	Gadwall	<i>Anas strepera</i> , Linnaeus, 1758	ANSERIFORMES	ANATIDAE
11	NothernShoveller	<i>Anas clypeata</i> , Linnaeus 1758	ANSERIFORMES	ANATIDAE
12	Eurasian Wigeon	<i>Anas penelope</i> Linnaeus, 1758	ANSERIFORMES	ANATIDAE
13	Garganey	<i>Anas querquedula</i> Linnaeus, 1758	ANSERIFORMES	ANATIDAE
14	Bar Headed Goose	<i>Anserindiacus</i> (Latham, 1790)	ANSERIFORMES	ANATIDAE
15	Brahminy Shelduck	<i>Tadornaferruginea</i> (Pallas, 1764)	ANSERIFORMES	ANATIDAE
16	Greylag Goose	<i>Anseranser</i> (Linnaeus, 1758)	ANSERIFORMES	ANATIDAE
17	Cotton Teal	<i>Nettapuscoromandelianus</i> (Gmelin, 1789)	ANSERIFORMES	ANATIDAE
18	Common Teal	<i>Anas crecca</i> Linnaeus, 1758	ANSERIFORMES	ANATIDAE
19	Red Crested Pochard	<i>Rodonnasaruifina</i> (Pallas, 1773)	ANSERIFORMES	ANATIDAE
20	Comon Pochard	<i>Aythya ferina</i> (Linnaeus, 1758)	ANSERIFORMES	ANATIDAE
21	Lasser Whistling Duck	<i>Dendrocygnajavanica</i> (Horsfield, 1821)	ANSERIFORMES	ANATIDAE
22	Tufted Duck	<i>Aythya fuligula</i>	ANSERIFORMES	ANATIDAE
23	Asian Palm-Swift	<i>Cypsiurusbalasiensis</i> (J E Gray, 1829)	APODIFORMES	APODIDAE
24	White-rumped Needletail-Swift	<i>Zoonavena sylvatica</i> (Tickell's, 1846)	APODIFORMES	APODIDAE
25	House Swift	<i>Apus affinis</i> (J E Gray, 1830)	APODIFORMES	APODIDAE
26	Alpine Swift	<i>Tachymarptis melba</i> (Linnaeus, 1758)	APODIFORMES	APODIDAE
27	Crested Tree-Swift	<i>Hemiprocne coronata</i> (Tickell, 1833)	APODIFORMES	HEMIPROCNIDAE
28	Indian Jungle Nightjar	<i>Caprimulgus indicus</i> Latham, 1790	CAPRIMULGIFORMES	CAPRIMULGIDAE
29	Large-tailed Nightjar	<i>Caprimulgus macrurus</i> Horsfield, 1821	CAPRIMULGIFORMES	CAPRIMULGIDAE
30	Common Indian Nightjar	<i>Caprimulgus asiaticus</i> Latham, 1790	CAPRIMULGIFORMES	CAPRIMULGIDAE
31	Bronze-winged Jacana	<i>Metropidius indicus</i> (Latham, 1790)	CHARADRIFORMES	JACANIDAE
32	Pheasant-tailed Jacana	<i>Hydrophasianuschirurgus</i> (Scopoli, 1786)	CHARADRIFORMES	JACANIDAE
33	Pacific Golden-Plover	<i>Pluvialis fulva</i> (Gmelin, 1789)	CHARADRIFORMES	CHARADRIIDAE
34	Yellow-wattled Lapwing	<i>Vanellusmalabaricus</i> (Boddaert,1783)	CHARADRIFORMES	CHARADRIIDAE
35	Red-wattled Lapwing	<i>Vanellus indicus</i> (Boddaert,1783)	CHARADRIFORMES	CHARADRIIDAE
36	Grey-headed Lapwing	<i>Vanellus cinereus</i> (Linnaeus, 1758)	CHARADRIFORMES	CHARADRIIDAE
37	Little Ringed Plover	<i>Charadrius dubius</i> Scopoli,1786	CHARADRIFORMES	CHARADRIIDAE
38	Common Greenshank	<i>Tringanebularia</i> (Gunner, 1767)	CHARADRIFORMES	SCOLOPACIDAE
39	Common Redshank	<i>Tringatotanus</i> (Linnaeus, 1758)	CHARADRIFORMES	SCOLOPACIDAE
40	Spotted Redshank	<i>Tringaerythropus</i> (Pallas, 1764)	CHARADRIFORMES	SCOLOPACIDAE
41	Common Sandpiper	<i>Actitis hypoleucos</i> Linnaeus, 1758	CHARADRIFORMES	SCOLOPACIDAE
42	Wood Sandpiper	<i>Tringaglareola</i> Linnaeus, 1758	CHARADRIFORMES	SCOLOPACIDAE
43	Common Snipe	<i>Gallinagogallinago</i> (Linnaeus, 1758)	CHARADRIFORMES	SCOLOPACIDAE
44	Temminck's Stint	<i>Calidris temminckii</i> (Leisler, 1812)	CHARADRIFORMES	SCOLOPACIDAE
45	Black-winged Stilt	<i>Himantopus himantopus</i> (Linnaeus, 1758)	CHARADRIFORMES	RECURVIROSTRIDAE
46	Greater Painted-Snipe	<i>Rostratulabenghalensis</i> (Linnaeus, 1758)	CHARADRIFORMES	ROSTRUTULIDAE
47	Stone Curlew	<i>Burhinus oedicnemus</i> (Linnaeus, 1758)	CHARADRIFORMES	BURHINIDAE
48	Indian Courser	<i>Cursoriuscoromandelicus</i> (Gmelin, 1789)	CHARADRIFORMES	GLAREOLIDAE
49	Blak-headed Gull	<i>Larus ridibundus</i> Linnaeus, 1766	CHARADRIFORMES	LARIDAE
50	River Tern	<i>Sterna aurantia</i> Gray, 1831	CHARADRIFORMES	LARIDAE
51	River Lapwing	<i>Vanellusduvaucelii</i>	CHARADRIIFORMES	CHARADRIIDAE
52	Marsh Sandpiper	<i>Tringastagnatilis</i>	CHARADRIIFORMES	SCOLOPACIDAE
53	Curlew Sandpiper	<i>Calidris ferruginea</i>	CHARADRIIFORMES	SCOLOPACIDAE
54	Kentish Plover	<i>Anarhynchus alexandrinus</i>	CHARADRIIFORMES	CHARADRIIDAE
55	Grey Plover	<i>Pluvialis squatarola</i>	CHARADRIIFORMES	SCOLOPACIDAE
56	Lesser Sand Plover	<i>Charadrius mongolus</i>	CHARADRIIFORMES	CHARADRIIDAE
57	Black-tailed Godwit	<i>Limos limosa</i>	CHARADRIIFORMES	SCOLOPACIDAE
58	Ruff	<i>Calidris pugnax</i>	CHARADRIIFORMES	SCOLOPACIDAE
59	Dunlin	<i>Calidris alpina</i>	CHARADRIIFORMES	SCOLOPACIDAE
60	Eurasian Curlew	<i>Numenius arquata</i>	CHARADRIIFORMES	SCOLOPACIDAE
61	Little Stint	<i>Calidris minuta</i>	CHARADRIIFORMES	SCOLOPACIDAE
62	Oriental Pratincole	<i>Glareolamaldivarum</i>	CHARADRIIFORMES	GLAREOLIDAE
63	Little Pratincole	<i>Glareola lactea</i>	CHARADRIIFORMES	GLAREOLIDAE
64	Pallas's Gull	<i>Ichthyophagaichthyaetus</i>	CHARADRIIFORMES	LARIDAE
65	Brown-headed Gull	<i>Chroicocephalus brunnicephalus</i>	CHARADRIIFORMES	LARIDAE
66	Whiskered Tern	<i>Chlidonias hybrid</i>	CHARADRIIFORMES	LARIDAE
67	Little Egret	<i>Egretta garzetta</i> (Linnaeus, 1766)	CICONIIFORMES	ARDEIDAE
68	Cattle Egret	<i>Bubulcus ibis</i> (Linnaeus, 1758)	CICONIIFORMES	ARDEIDAE
69	Median Egret	<i>Mesophoyx intermedia</i> (Wagler,1829)	CICONIIFORMES	ARDEIDAE

S/n Common Name

Scientific Name

ORDER

FAMILY

70	Large Egret	<i>Casmerodius albus</i> (Linnaeus, 1758)	CICONIIFORMES	ARDEIDAE
71	Grey Heron	<i>Adrea cinerea</i> Linnaeus, 1758	CICONIIFORMES	ARDEIDAE
72	Chestnut Bittern	<i>Ixobrychuscinnamomeus</i> (Gmelin, 1789)	CICONIIFORMES	ARDEIDAE
73	Black Bittern	<i>Dupetorflavicollis</i> (Latham, 1790)	CICONIIFORMES	ARDEIDAE
74	Purple Heron	<i>Ardea purpurea</i> Linnaeus, 1766	CICONIIFORMES	ARDEIDAE
75	Black-crowned Night-Heron	<i>Nycticoraxnycticorax</i> (Linnaeus, 1758)	CICONIIFORMES	ARDEIDAE
76	Little Green Heron	<i>Butorides striatus</i> (Linnaeus, 1758)	CICONIIFORMES	ARDEIDAE
77	Little Bittern	<i>Ixobrychusminutus</i> (Linnaeus, 1766)	CICONIIFORMES	ARDEIDAE
78	Indian Pond Heron	<i>Ardeolagrayii</i> (Sykes, 1832)	CICONIIFORMES	ARDEIDAE
79	White-necked Stork	<i>Ciconia episcopus</i> (Boddaert, 1783)	CICONIIFORMES	CICONIIDAE
80	Openbill Stork	<i>Anastomusoscitans</i> (Boddaert, 1783)	CICONIIFORMES	CICONIIDAE
81	Oriental White Ibis	<i>Threskiornismelanocephalus</i> (Latham, 1790)	CICONIIFORMES	THRESKIORNITHIDAE
82	Black Ibis	<i>Pseudibispappilosa</i> (Temminck, 1824)	CICONIIFORMES	THRESKIORNITHIDAE
83	Black Stork	<i>Ciconia nigra</i>	CICONIIFORMES	CICONIIDAE
84	Little Brown Dove	<i>Streptopelia senegalensis</i> (Linnaeus, 1766)	COLUMBIFORMES	COLUMBIDAE
85	Red Collored-Dove	<i>Streptopeliatranquebarica</i> (Hermann, 1804)	COLUMBIFORMES	COLUMBIDAE
86	Oriental Turtle-Dove	<i>Streptopeliaorientalis</i> (Latham, 1790)	COLUMBIFORMES	COLUMBIDAE
87	Emerald Dove	<i>Chalocophaps indica</i> (Linnaeus, 1758)	COLUMBIFORMES	COLUMBIDAE
88	Blue Rock Pigeon	<i>Columba livia</i> Gmelin, 1789	COLUMBIFORMES	COLUMBIDAE
89	Spotted Dove	<i>Streptopelia chinensis</i> (Scopoli, 1786)	COLUMBIFORMES	COLUMBIDAE
90	Eurasian Collared-Dove	<i>Streptopeliadecaocto</i> (Fridvaldszky, 1838)	COLUMBIFORMES	COLUMBIDAE
91	Orange-breasted Green-Pigeon	<i>Treronbicincta</i> (Jerdon, 1840)	COLUMBIFORMES	COLUMBIDAE
92	Yellow-legged Green-Pigeon	<i>Treronphoenicoptera</i> (Latham, 1790)	COLUMBIFORMES	COLUMBIDAE
93	Black-capped Kingfisher	<i>Halcyon pileata</i> (Boddaert, 1783)	CORACIFORMES	ALCEDINIDAE
94	Small Blue Kingfisher	<i>Alcedoatthis</i> (Linnaeus, 1758)	CORACIFORMES	ALCEDINIDAE
95	Lesser Pied Kingfisher	<i>Cerylerudis</i> (Linnaeus, 1758)	CORACIFORMES	ALCEDINIDAE
96	White-breasted kingfisher	<i>Halcyon smyrnensis</i> (Linnaeus, 1758)	CORACIFORMES	ALCEDINIDAE
97	Chestnut-headed Bee-eater	<i>Meropslechenaulti</i> Vieillot, 1817	CORACIFORMES	MEROPIDAE
98	Small Bee-eater	<i>Meropsorientalis</i> (Latham, 1801)	CORACIFORMES	MEROPIDAE
99	Blue-tailed Bee-eater	<i>Meropsphilippinus</i> Linnaeus, 1766	CORACIFORMES	MEROPIDAE
100	Blue-bearded Bee-eater	<i>Nyctornisathertoni</i> (Jardine & Selby, 1828)	CORACIFORMES	MEROPIDAE
101	Indian Roller	<i>Coracias benghalensis</i> (Linnaeus, 1758)	CORACIFORMES	CORACIIDAE
102	Indian Grey Hornbill	<i>Ocyrocero birostris</i> (Scopoli, 1786)	CORACIFORMES	BUCEROTIDAE
103	Common Hoopoe	<i>Upupa epops</i> Linnaeus, 1758	CORACIFORMES	UPUPIDAE
104	Pied Crested Cuckoo	<i>Clamatorjacobinus</i> (Boddaert, 1783)	CUCULIFORMES	CUCULIDAE
105	Brainfeaver Bird	<i>Hierococcyxvarius</i> (Vahl, 1797)	CUCULIFORMES	CUCULIDAE
106	Indian Plantive Cuckoo	<i>Cacomantispasserinus</i> (Vahl, 1797)	CUCULIFORMES	CUCULIDAE
107	Banded Bay Cuckoo	<i>Cacomantissonneratii</i> (Latham, 1790)	CUCULIFORMES	CUCULIDAE
108	Rufous-bellied Cuckoo	<i>Cacomantismerulinus</i> (Scopoli, 1786)	CUCULIFORMES	CUCULIDAE
109	Indian Cuckoo	<i>Cuculusmicropterus</i> (Gould, 1838)	CUCULIFORMES	CUCULIDAE
110	Greater Coucal	<i>Centropus sinensis</i> (Stephens, 1815)	CUCULIFORMES	CUCULIDAE
111	Asian Koel	<i>Eudynamis scolopacea</i> (Linnaeus, 1758)	CUCULIFORMES	CUCULIDAE
112	Large Green-billed Malkoha	<i>Phaenicophaeus tristis</i> (Lesson, 1830)	CUCULIFORMES	CUCULIDAE
113	Small Green-billed Malkoha	<i>Phaenicophaeusviridirostris</i> (Jerdon, 1840)	CUCULIFORMES	CUCULIDAE
114	Sirkeer Malkoha	<i>Phaenicophaeusleschenaultii</i> (Lesson, 1830)	CUCULIFORMES	CUCULIDAE
115	Drongo Cuckoo	<i>Surnicululugubris</i>	CUCULIFORMES	CUCULIDAE
116	Large Hawk Cuckoo	<i>Hierococcyx sparverioides</i>	CUCULIFORMES	CUCULIDAE
117	Eurasian Cuckoo	<i>Cuculuscanorus</i>	CUCULIFORMES	CUCULIDAE
118	Crested Serpent Eagle	<i>Spilornis cheela</i> (Latham, 1790)	FALCONIFORMES	ACCIPITRIDAE
119	Black Eagle	<i>Ictinaetus malayensis</i> (Temminck, 1822)	FALCONIFORMES	ACCIPITRIDAE
120	Greater Grey Headed Fish Eagle	<i>Ichthyophagaichthyaetus</i> (Horshfield; 1821)	FALCONIFORMES	ACCIPITRIDAE
121	Lesser spotted Eagle	<i>Aquila pomarina</i> Brehm, 1831	FALCONIFORMES	ACCIPITRIDAE
122	Short-toed Snake-Eagle	<i>Circaetus gallicus</i> (Gmelin, 1788)	FALCONIFORMES	ACCIPITRIDAE
123	Booted Eagle	<i>Hieraetus pennatus</i> (Gmelin, 1788)	FALCONIFORMES	ACCIPITRIDAE
124	Bonelli's Eagle	<i>Hieraetus fasciatus</i> (Viellot, 1822)	FALCONIFORMES	ACCIPITRIDAE
125	Changeable Hawk Eagle	<i>Spizaetus cirrhatu</i> (Gmelin, 1788)	FALCONIFORMES	ACCIPITRIDAE
126	Indian White-backed Vulture	<i>Gyps bengalensis</i> (Gmelin, 1788)	FALCONIFORMES	ACCIPITRIDAE
127	Long Billed Vulture	<i>Gyps indicus</i> (Scopoli, 1786)	FALCONIFORMES	ACCIPITRIDAE
128	Oriental Honey Buzzard	<i>Pernis ptilorhynchus</i> (Temminck, 1921)	FALCONIFORMES	ACCIPITRIDAE
129	Montagu's Harrier	<i>Circus pygargus</i> (Linnaeus, 1758)	FALCONIFORMES	ACCIPITRIDAE
130	Western Marsh Harrier	<i>Circus aeruginosus</i> (Linnaeus, 1758)	FALCONIFORMES	ACCIPITRIDAE
131	White eyed buzzard	<i>Butastur teesa</i> (Franklin, 1832)	FALCONIFORMES	ACCIPITRIDAE
132	Black Kite	<i>Milvus migrans</i> (Boddert, 1783)	FALCONIFORMES	ACCIPITRIDAE
133	Jerdon's Baza	<i>Aviceda jerdoni</i> (Blyth, 1842)	FALCONIFORMES	ACCIPITRIDAE
134	Brahminy Kite	<i>Haliastur indus</i> (Boddaert, 1783)	FALCONIFORMES	ACCIPITRIDAE
135	Black Shouldered Kite	<i>Elanus caeruleus</i> (Desfontaines, 1789)	FALCONIFORMES	ACCIPITRIDAE
136	Black Baza	<i>Aviceda leuphotes</i> (Dumont, 1820)	FALCONIFORMES	ACCIPITRIDAE
137	Pied Harrier	<i>Circus melanoleucos</i> (Gmelin, 1770)	FALCONIFORMES	ACCIPITRIDAE
138	Besra Sparrow Hawk	<i>Accipiter virgatus</i> (Temminck, 1822)	FALCONIFORMES	ACCIPITRIDAE
139	Shikra	<i>Accipiter badius</i> (Gmelin, 1788)	FALCONIFORMES	ACCIPITRIDAE
140	Osprey	<i>Pandion haliaetus</i> (Linnaeus, 1758)	FALCONIFORMES	PANDIONIDAE
141	Common Kestrel	<i>Falco tinnunculus</i> Linnaeus, 1758	FALCONIFORMES	FALCONIDAE
142	Peregrine Falcon	<i>Falco peregrinus</i>	FALCONIFORMES	FALCONIDAE

S/n Common Name

Scientific Name

ORDER

FAMILY

143	Amur Falcon	<i>Falco amurensis</i>	FALCONIFORMES	FALCONIDAE
144	Painted Francolin	<i>Francolinus pictus</i> (Jardine & Selby, 1828)	GALLIFORMES	PHASIANIDAE
145	Grey Francolin	<i>Francolinus pondicerianus</i> (Gmelin, 1789)	GALLIFORMES	PHASIANIDAE
146	Common Quail	<i>Coturnix coturnix</i> (Linnaeus, 1758)	GALLIFORMES	PHASIANIDAE
147	Rain Quail	<i>Coturnix coromandelica</i> (Gmelin, 1789)	GALLIFORMES	PHASIANIDAE
148	Indian Peafowl	<i>Pavocristatus</i> Linnaeus, 1758	GALLIFORMES	PHASIANIDAE
149	Red Junglefowl	<i>Gallus gallus</i> (Linnaeus, 1758)	GALLIFORMES	PHASIANIDAE
150	Purple Moorhen	<i>Porphyrioporphyrus</i> (Linnaeus, 1758)	GRUIFORMES	RALLIDAE
151	Common Moorhen	<i>Gallinula chloropus</i> (Linnaeus, 1758)	GRUIFORMES	RALLIDAE
152	Blue-breasted Rail	<i>Gallirallus striatus</i> Linnaeus, 1766	GRUIFORMES	RALLIDAE
153	Baillon's Crake	<i>Porzanapusilla</i> (Pallas, 1776)	GRUIFORMES	RALLIDAE
154	Brown Crake	<i>Amaurornis akool</i> (Sykes, 1832)	GRUIFORMES	RALLIDAE
155	White Brested Waterhen	<i>Amaurornis phoenicurus</i> (Pennant, 1769)	GRUIFORMES	RALLIDAE
156	Common Coot	<i>Fulica atra</i> , Linnaeus, 1758	GRUIFORMES	RALLIDAE
157	Watercock	<i>Gallix cinerea</i> (Gmelin, 1789)	GRUIFORMES	RALLIDAE
158	Ruddy-breasted Crake	<i>Porzana fusca</i>	GRUIFORMES	RALLIDAE
159	Indian Pitta	<i>Pitta brachyura</i> (Linnaeus, 1766)	PASSERIFORMES	PITTIDAE
160	Singing Bush-Lark	<i>Mirafractantillans</i> Blyth, 1845	PASSERIFORMES	ALUDIDAE
161	Ashy-crowned Sparrow Lark	<i>Eremopterix grisea</i> (Scopoli, 1786)	PASSERIFORMES	ALUDIDAE
162	Bengal Bush-Lark	<i>Mirafractantillans</i> Horsfield, 1840	PASSERIFORMES	ALUDIDAE
163	Red-winged Bush-Lark	<i>Mirafractantillans</i> Blyth, 1845	PASSERIFORMES	ALUDIDAE
164	Rufous-tailed Finch-Lark	<i>Ammomanes phoenicurus</i> (Franklin, 1831)	PASSERIFORMES	ALUDIDAE
165	Eastern Skylark	<i>Aludagula</i> Franklin, 1831	PASSERIFORMES	ALUDIDAE
166	Dusky Crag-Martin	<i>Hirundo concolor</i> Sykes, 1833	PASSERIFORMES	HIRUNDINIDAE
167	Streak-throated Swallow	<i>Hirundo fluvicola</i> Blyth, 1855	PASSERIFORMES	HIRUNDINIDAE
168	Wire-tailed Swallow	<i>Hirundo smithii</i> Leach, 1818	PASSERIFORMES	HIRUNDINIDAE
169	Common Swallow	<i>Hirundo rustica</i> Linnaeus, 1758	PASSERIFORMES	HIRUNDINIDAE
170	Red-rumped Swallow	<i>Hirundo daurica</i> Linnaeus, 1771	PASSERIFORMES	HIRUNDINIDAE
171	Large Pied Wagtail	<i>Motacilla alba</i> Linnaeus, 1758	PASSERIFORMES	MOTACILLIDAE
172	Grey Wagtail	<i>Motacilla cinerea</i> Tunstall, 1771	PASSERIFORMES	MOTACILLIDAE
173	White Wagtail	<i>Motacilla alba</i> Linnaeus, 1758	PASSERIFORMES	MOTACILLIDAE
174	Citrine Wagtail	<i>Motacilla citreola</i> Pallas, 1776	PASSERIFORMES	MOTACILLIDAE
175	Yellow Wagtail	<i>Motacilla flava</i> Linnaeus, 1758	PASSERIFORMES	MOTACILLIDAE
176	Forest Wagtail	<i>Dendronanthus indicus</i> (Gmelin, 1789)	PASSERIFORMES	MOTACILLIDAE
177	Oriental Tree Pipit	<i>Anthus hodgsoni</i> Richmond, 1970	PASSERIFORMES	MOTACILLIDAE
178	Paddyfield Pipit	<i>Anthus rufus</i> Vieillot, 1818	PASSERIFORMES	MOTACILLIDAE
179	Large Cuckoo-Shrike	<i>Coracinamacei</i> (Lesson, 1830)	PASSERIFORMES	CAMPEPHAGIDAE
180	Black-headed Cuckoo-Shrike	<i>Coracinamacei</i> (Lesson, 1830)	PASSERIFORMES	CAMPEPHAGIDAE
181	Common Woodshrike	<i>Tephrodornis pondicerianus</i> (Gmelin, 1789)	PASSERIFORMES	CAMPEPHAGIDAE
182	Scarlet Minivet	<i>Pericrocotus flammeus</i> (Forster, 1781)	PASSERIFORMES	CAMPEPHAGIDAE
183	Rosy Minivet	<i>Pericrocotus roseus</i> (Vieillot, 1818)	PASSERIFORMES	CAMPEPHAGIDAE
184	Small Minivet	<i>Pericrocotus cinerascens</i> (Linnaeus, 1766)	PASSERIFORMES	CAMPEPHAGIDAE
185	Black-crested Bulbul	<i>Pycnonotus melanicterus</i> (Gmelin, 1789)	PASSERIFORMES	PYCNONOTIDAE
186	Red-vented Bulbul	<i>Pycnonotus cafer</i> (Linnaeus, 1766)	PASSERIFORMES	PYCNONOTIDAE
187	Red-whiskered Bulbul	<i>Pycnonotus jocosus</i> (Linnaeus, 1758)	PASSERIFORMES	PYCNONOTIDAE
188	Gold-fronted Chloropsis	<i>Chloropsis aurifrons</i> (Temminck, 1829)	PASSERIFORMES	IRENIDAE
189	Common Iora	<i>Aegithina tithys</i> (Linnaeus, 1758)	PASSERIFORMES	IRENIDAE
190	Brown Shrike	<i>Lanius cristatus</i> Linnaeus, 1758	PASSERIFORMES	LANIIDAE
191	Rufous-backed Shrike	<i>Lanius schach</i> Linnaeus, 1758	PASSERIFORMES	LANIIDAE
192	Bay-backed Shrike	<i>Lanius vittatus</i> Valenciennes, 1826	PASSERIFORMES	LANIIDAE
193	White-rumped Shama	<i>Copsychus malabaricus</i> (Scopoli, 1786)	PASSERIFORMES	MUSCICAPIDAE
194	Siberian Rubythroat	<i>Luscinia calliope</i> (Pallas, 1776)	PASSERIFORMES	MUSCICAPIDAE
195	Bluethroat	<i>Luscinia svecica</i> (Linnaeus, 1758)	PASSERIFORMES	MUSCICAPIDAE
196	Blue Rock-Thrush	<i>Monticola solitarius</i> (Linnaeus, 1758)	PASSERIFORMES	MUSCICAPIDAE
197	India Robin	<i>Saxicoloides fulicata</i> (Linnaeus, 1776)	PASSERIFORMES	MUSCICAPIDAE
198	Pied Bushchat	<i>Saxicola caprata</i> (Linnaeus, 1766)	PASSERIFORMES	MUSCICAPIDAE
199	Oriental Magpie-Robin	<i>Copsychus saularis</i> (Linnaeus, 1759)	PASSERIFORMES	MUSCICAPIDAE
200	Orange-headed Thrush	<i>Zosterocitta trilineata</i> (Latham, 1790)	PASSERIFORMES	MUSCICAPIDAE
201	Black Redstart	<i>Phoenicurus phoenicurus</i> (Gmelin, 1774)	PASSERIFORMES	MUSCICAPIDAE
202	Yellow-eyed Babbler	<i>Chrysommastus</i> (Gmelin, 1789)	PASSERIFORMES	MUSCICAPIDAE
203	Indian Scimitar Babbler	<i>Pomatorhinus horsfieldii</i> Sykes, 1832	PASSERIFORMES	MUSCICAPIDAE
204	Jungle Babbler	<i>Turdoides striatus</i> (Dumont, 1823)	PASSERIFORMES	MUSCICAPIDAE
205	Common Babbler	<i>Turdoides caudatus</i> (Dumont, 1823)	PASSERIFORMES	MUSCICAPIDAE
206	Large Grey Babbler	<i>Turdoides malcolmi</i> (Sykes, 1832)	PASSERIFORMES	MUSCICAPIDAE
207	Streaked Fantail-Warbler	<i>Cisticola juncidis</i> (Rafinesque, 1810)	PASSERIFORMES	MUSCICAPIDAE
208	Jungle Prinia	<i>Prinia sylvatica</i> Jerdon, 1840	PASSERIFORMES	MUSCICAPIDAE
209	Ashy Prinia	<i>Prinia socialis</i> Sykes, 1832	PASSERIFORMES	MUSCICAPIDAE
210	Rufous-fronted Prinia	<i>Prinia buchanani</i> Blyth, 1884	PASSERIFORMES	MUSCICAPIDAE
211	Plain Prinia	<i>Prinia inornata</i> Sykes, 1832	PASSERIFORMES	MUSCICAPIDAE
212	Common Tailorbird	<i>Orthotomus sutorius</i> (Pennant, 1769)	PASSERIFORMES	MUSCICAPIDAE
213	Common Chiffchaff	<i>Phylloscopus collybita</i> (Tickell, 1833)	PASSERIFORMES	MUSCICAPIDAE
214	Greenish Leaf-Warbler	<i>Phylloscopus trochiloides</i> (Sundevall, 1837)	PASSERIFORMES	MUSCICAPIDAE
215	Olivaceous Leaf-Warbler	<i>Phylloscopus griseolus</i> Blyth, 1847	PASSERIFORMES	MUSCICAPIDAE

S/n Common Name

Scientific Name

ORDER

FAMILY

216	Orphean Warbler	<i>Sylvia hortensis</i> (Gmelin, 1789)	PASSERIFORMES	MUSCICAPIDAE
217	Common Lesser Whitethroat	<i>Sylvia curruca</i> (Linnaeus, 1758)	PASSERIFORMES	MUSCICAPIDAE
218	Verditer Flycatcher	<i>Eumyias thalassina</i> (Swainson, 1838)	PASSERIFORMES	MUSCICAPIDAE
219	Tickell's Blue-Flycatcher	<i>Cyornistickelliae</i> Blyth, 1843	PASSERIFORMES	MUSCICAPIDAE
220	Blue-throated Flycatcher	<i>Cyornis rubeculoides</i> (Vigors, 1831)	PASSERIFORMES	MUSCICAPIDAE
221	Grey-headed Flycatcher	<i>Culicicapaceylonensis</i> (Swainson, 1820)	PASSERIFORMES	MUSCICAPIDAE
222	Asian Brown Flycatcher	<i>Muscicapada aurica</i> Pallas, 1811	PASSERIFORMES	MUSCICAPIDAE
223	Red-throated Flycatcher	<i>Ficedula parva</i> (Bechstein, 17920)	PASSERIFORMES	MUSCICAPIDAE
224	Ultramarine Flycatcher	<i>Ficedula superciliosa</i> (Jerdon, 1840)	PASSERIFORMES	MUSCICAPIDAE
225	Asian Paradise-Flycatcher	<i>Terpsiphone paradisi</i> (Linnaeus, 1758)	PASSERIFORMES	MUSCICAPIDAE
226	Black-naped Monarch-Flycatcher	<i>Hypothymis azurea</i> (Boddaert, 1783)	PASSERIFORMES	MUSCICAPIDAE
227	Black-lored Yellow Tit	<i>Parus xanthogenys</i> Vigors, 1831	PASSERIFORMES	PARIDAE
228	Great Tit	<i>Parus major</i> Linnaeus, 1758	PASSERIFORMES	PARIDAE
229	Velvet-fronted Nuthatch	<i>Sitta frontalis</i> Swainson, 1820	PASSERIFORMES	SITTIDAE
230	Chestnut-bellied Nuthatch	<i>Sitta castanea</i> Lesson, 1830	PASSERIFORMES	SITTIDAE
231	Tickell's Flowerpecker	<i>Decaemerythrorhynchus</i> (Latham, 1790)	PASSERIFORMES	DICAIDAE
232	Thick-billed Flowerpecker	<i>Dicaeum agile</i> (Tickell, 1833)	PASSERIFORMES	DICAIDAE
233	Purple-rumped Sunbird	<i>Nectarinia zeylonica</i> (Linnaeus, 1766)	PASSERIFORMES	NECTARINIIDAE
234	Crimson Sunbird	<i>Aethopygia siparaja</i> (Raffles, 1822)	PASSERIFORMES	NECTARINIIDAE
235	Ruby-cheeked Sunbird	<i>Anthreptes singalensis</i> (Gmelin, 1789)	PASSERIFORMES	NECTARINIIDAE
236	Purple Sunbird	<i>Nectarinia asiatica</i> (Latham, 1790)	PASSERIFORMES	NECTARINIIDAE
237	Black-headed Bunting	<i>Emberizamelanocephala</i> Scopoli, 1769	PASSERIFORMES	EMBERIZIDAE
238	Oriental white-eye	<i>Zosterops palpebrosus</i> (Temminck, 1824)	PASSERIFORMES	ZOSTEROPIDAE
239	Red Munia	<i>Amandava amandava</i> (Linnaeus, 1758)	PASSERIFORMES	ESTRILIDAE
240	White-rumped Munia	<i>Lonchura striata</i> (Linnaeus, 1766)	PASSERIFORMES	ESTRILIDAE
241	White-throated Munia	<i>Lonchura malabarica</i> (Linnaeus, 1758)	PASSERIFORMES	ESTRILIDAE
242	Spotted Munia	<i>Lonchura punctulata</i> (Linnaeus, 1758)	PASSERIFORMES	ESTRILIDAE
243	Yellow-throated Sparrow	<i>Petronia xanthocollis</i> (Burton, 1838)	PASSERIFORMES	PASSERIDAE
244	House Sparrow	<i>Passer domesticus</i> (Linnaeus, 1758)	PASSERIFORMES	PASSERIDAE
245	Baya Weaver	<i>Ploceus philippinus</i> (Linnaeus, 1766)	PASSERIFORMES	PASSERIDAE
246	Common Myna	<i>Acridotheres tristis</i> (Linnaeus, 1766)	PASSERIFORMES	STURNIDAE
247	Common Hill Myna	<i>Gracula religiosa</i> Linnaeus, 1758	PASSERIFORMES	STURNIDAE
248	Rosy Starling	<i>Sturnus roseus</i> (Linnaeus, 1758)	PASSERIFORMES	STURNIDAE
249	Asian Pied Starling	<i>Sturnus contra</i> Linnaeus, 1758	PASSERIFORMES	STURNIDAE
250	Grey-headed Starling	<i>Sturnus malabaricus</i> (Gmelin, 1789)	PASSERIFORMES	STURNIDAE
251	Brahminy Starling	<i>Sturnus pagodarum</i> (Gmelin, 1789)	PASSERIFORMES	STURNIDAE
252	Jungle Myna	<i>Acridotheres fuscus</i> (Wagler, 1827)	PASSERIFORMES	STURNIDAE
253	Eurasian Golden Oriole	<i>Oriolus oriolus</i> (Linnaeus, 1758)	PASSERIFORMES	ORIOIDAE
254	Black-headed Oriole	<i>Oriolus xanthornus</i> (Linnaeus, 1758)	PASSERIFORMES	ORIOIDAE
255	Black-naped Oriole	<i>Oriolus chinensis</i> Linnaeus, 1766	PASSERIFORMES	ORIOIDAE
256	Black Drongo	<i>Dicrurus macrocercus</i> Vieillot, 1817	PASSERIFORMES	DICRURIDAE
257	Spangled Drongo	<i>Dicrurus hottentottus</i> (Linnaeus, 1766)	PASSERIFORMES	DICRURIDAE
258	Bronzed Drongo	<i>Dicrurus aeneus</i> Vieillot, 1817	PASSERIFORMES	DICRURIDAE
259	Ashy Drongo	<i>Dicrurus leucophaeus</i> Vieillot, 1817	PASSERIFORMES	DICRURIDAE
260	White-bellied Drongo	<i>Dicrurus caerulescens</i> (Linnaeus, 1758)	PASSERIFORMES	DICRURIDAE
261	Greater Racket-tailed Drongo	<i>Dicrurus paradiseus</i> (Linnaeus, 1766)	PASSERIFORMES	DICRURIDAE
262	Ashy Woodswallow	<i>Artamus fuscus</i> Vieillot, 1817	PASSERIFORMES	ARTAMIDAE
263	Jungle Crow	<i>Corvus macrorhynchus</i> Wagler, 1827	PASSERIFORMES	CORVIDAE
264	House Crow	<i>Corvus splendens</i> (Vieillot, 1817)	PASSERIFORMES	CORVIDAE
265	Indian Treepie	<i>Dendrocitta vagavanda</i> (Latham, 1970)	PASSERIFORMES	CORVIDAE
266	Crested Bunting	<i>Melophus lathami</i>	PASSERIFORMES	EMBERIZIDAE
267	Richard's Pipit	<i>Anthus richardi</i>	PASSERIFORMES	MOTACILLIDAE
268	Tawny Pipit	<i>Anthus campestris</i>	PASSERIFORMES	MOTACILLIDAE
269	Blyth's Pipit	<i>Anthus godlewskii</i>	PASSERIFORMES	MOTACILLIDAE
270	Long-billed Pipit	<i>Anthus similis</i>	PASSERIFORMES	MOTACILLIDAE
271	Bar-winged or Pied Flycatcher Shrike	<i>Hemipus picatus</i>	PASSERIFORMES	VANGIDAE
272	Large Woodshrike	<i>Tephrodornis virgatus</i>	PASSERIFORMES	VANGIDAE
273	Common Rosefinch	<i>Erythrura erythrura</i>	PASSERIFORMES	FRINGILLIDAE
274	Grey-breasted Prinia	<i>Prinia hodgsonii</i>	PASSERIFORMES	CISTICOLIDAE
275	Booted Warbler	<i>Iduna caligata</i>	PASSERIFORMES	ACROCEPHALIDAE
276	Sykes Warbler	<i>Iduna nana</i>	PASSERIFORMES	ACROCEPHALIDAE
277	Blyth's Reed Warbler	<i>Acrocephalus dumetorum</i>	PASSERIFORMES	ACROCEPHALIDAE
278	Paddyfield Warbler	<i>Acrocephalus agricola</i>	PASSERIFORMES	ACROCEPHALIDAE
279	Oriental (Great) Reed Warbler	<i>Acrocephalus orientalis</i>	PASSERIFORMES	ACROCEPHALIDAE
280	Clamorous Reed Warbler (Indian Great Reed Warbler)	<i>Acrocephalus tentorius</i>	PASSERIFORMES	ACROCEPHALIDAE
281	Western Crowned warbler	<i>Seicercus occipitalis</i>	PASSERIFORMES	PHYLLOSCOPIDAE
282	Pin striped Babbler or Yellow-breasted Babbler	<i>Mixornis gularis</i>	PASSERIFORMES	TIMALIIDAE
283	Puff-throated Babbler	<i>Pellorneum ruficeps</i>	PASSERIFORMES	PELLORNEIDAE
284	Brown Cheeked Fulvetta or Quaker Tit Babbler	<i>Alcippe poioicephala</i>	PASSERIFORMES	LEIOTHRICHIDAE
285	Yellow-billed Babbler	<i>Turdoides affinis</i>	PASSERIFORMES	LEIOTHRICHIDAE

S/n Common Name

Scientific Name

ORDER

FAMILY

286	Blue-capped Rock-thrush	<i>Monticolacinclorhyncha</i>	PASSERIFORMES	MUSCICAPIDAE
287	Desert Wheatear	<i>Oenanthe pleschanka</i>	PASSERIFORMES	MUSCICAPIDAE
288	Common (Siberian) stonechat	<i>Saxicola maurus</i>	PASSERIFORMES	MUSCICAPIDAE
289	Tickell's Thrush	<i>Turdus unicolor</i>	PASSERIFORMES	TURDIDAE
290	Black-headed Munia	<i>Lonchura Malacca</i>	PASSERIFORMES	ESTRILDIDAE
291	Grey-necked bunting	<i>Emberizabuchanani</i>	PASSERIFORMES	Emberizidae.
292	Little Spiderhunter	<i>Arachnotheralongirostra</i>	Passeriformes	Nectariniidae
293	Little Cormorant	<i>Phalacrocorax niger</i> (Vieillot, 1817)	PELECANIFORMES	PHALACROCORACIDAE
294	Indian Shag	<i>Phalacrocorax fuscicollis</i> Stephens, 1826	PELECANIFORMES	PHALACROCORACIDAE
295	Great Cormorant	<i>Phalacrocorax carbo</i> (Linnaeus, 1758)	PELECANIFORMES	PHALACROCORACIDAE
296	Spot-billed Pelican	<i>Pelecanus philippensis</i> Gmelin, 1789	PELECANIFORMES	PELECANIDAE
297	Darter	<i>Anhinga melanogaster</i> Pennant, 1769	PELECANIFORMES	ANHINGIDAE
298	Yellow Bittern	<i>Ixobrychus sinensis</i>	PELECANIFORMES	ARDEIDAE
299	Spot-billed pelican	<i>Pelecanus philippensis</i>	PELECANIFORMES	Pelecanidae
300	Brown-headed Barbet	<i>Megalaimazeylanica</i> (Gmelin, 1788)	PICIFORMES	CAPITONIDAE
301	Coppersmith Barbet	<i>Megalaimahaemacephala</i> (Mullar, 1766)	PICIFORMES	CAPITONIDAE
302	Eurasian Wryneck	<i>Jynx torquilla</i> Linnaeus, 1758	PICIFORMES	PICIDAE
303	Yellow-fronted Pied Woodpecker	<i>Dendrocoposmahrattensis</i> (Latham, 1801)	PICIFORMES	PICIDAE
304	Lesser Golden-backed Woodpecker	<i>Dinopiumbenghalense</i> (Linnaeus, 1758)	PICIFORMES	PICIDAE
305	Heart-spotted Woodpecker	<i>Hemicircuscanente</i> (Lesson, 1830)	PICIFORMES	PICIDAE
306	Speckled Piculet	<i>Picumnusinnominatus</i> Burton, 1836	PICIFORMES	PICIDAE
307	Brown-capped Pygmy woodpecker	<i>Dendrocopos nanus</i> (Vigors, 1832)	PICIFORMES	PICIDAE
308	Grey-capped Pygmy Woodpecker	<i>Dendrocoposcanicapillus</i> (Blyth, 1845)	PICIFORMES	PICIDAE
309	Rufous Woodpecker	<i>Celeusbrachyurus</i> (Vieillot, 1818)	PICIFORMES	PICIDAE
310	Great Black Woodpecker	<i>Dryocopusjavensis</i> (Horsfield, 1821)	PICIFORMES	PICIDAE
311	Little Scaly-bellied Green Woodpecker	<i>Picusxanthopygaeus</i> (Grey & Grey, 1846)	PICIFORMES	PICIDAE
312	Greater Golden-backed Woodpecker	<i>Chrysocolapteslucidus</i> (Scopoli, 1786)	PICIFORMES	PICIDAE
313	Black-shouldered Woodpecker	<i>Chrysocolaptesfestivus</i> (Boddaert, 1783)	PICIFORMES	PICIDAE
314	Small Yellow-napped Woodpecker	<i>Picuschlorolophus</i>	PICIFORMES	PICIDAE
315	Little Grebe	<i>Tachybaptus ruficollis</i> (Pallas, 1764)	PODICIPEDIFORMES	PODICIPEDIDAE
316	Great Crested Grebe	<i>Podiceps cristatus</i> (Linnaeus, 1758)	PODICIPEDIFORMES	PODICIPEDIDAE
317	Indian Hanging-Parrot	<i>Loriculusvernalis</i> (Sparrman, 1787)	PSITTACIFORMES	PSITTACIDAE
318	Alexandrine Parakeet	<i>Psittaculaeupatria</i> (Linnaeus, 1766)	PSITTACIFORMES	PSITTACIDAE
319	Rose-ringed Parakeet	<i>Psittaculakrameri</i> (Scopoli, 1769)	PSITTACIFORMES	PSITTACIDAE
320	Plum-headed Parakeet	<i>Psittaculacynocephala</i> (Linnaeus, 1766)	PSITTACIFORMES	PSITTACIDAE
321	Spotted Owlet	<i>Athene brama</i> (Temminck, 1821)	STRIGIFORMES	STRIGIDAE
322	Jungle Owlet	<i>Glaucidium Radiatum</i> (Tickell, 1833)	STRIGIFORMES	STRIGIDAE
323	Brown Fish-Owl	<i>Ketupazeylonensis</i> (Gmelin, 1788)	STRIGIFORMES	STRIGIDAE
324	Eurasian Eagle-Owl	<i>Bubo bubo</i> (Linnaeus, 1758)	STRIGIFORMES	STRIGIDAE
325	Barn Owl	<i>Tyto alba</i> (Scopoli, 1769)	STRIGIFORMES	TYTONIDAE
326	Brown Hawk Owl	<i>Ninoxscutulata</i>	STRIGIFORMES	STRIGIDAE
327	Brown Wood Owl	<i>Strixleptogrammica</i>	STRIGIFORMES	STRIGIDAE
328	Collared Scops Owl	<i>Otus bakkamoena</i>	STRIGIFORMES	STRIGIDAE
329	Malabar Trogon	<i>Harpactes fasciatus</i> (Pennant, 1769)	TROGONIFORMES	TROGONIDAE
330	Yellow-legged Buttonquail	<i>Turnixtanki</i> Blyth, 1843	TURNICIFORMES	TURNICIDAE
331	Common Buttonquail	<i>Turnixsusculator</i> (Gmelin, 1789)	TURNICIFORMES	TURNICIDAE

